CYBERSECURITY ASSURANCE PROGRAM CERTIFICATE

Certificate Number: ULCAP_188

Date of Issue: 2023-12-21

Date of Expiration: 2024-12-21

Certificate Holder: Bosch Security Systems B.V.

P.O Box 80002 5600 JB Eindhoven

Netherlands

Certified Product: DINION IP Ultra 8000 MP (CPP6 Family)

DINION IP Starlight 6000 HD (CPP7 Family)

DINION IP 4000i IR (CPP7.3 Family)

FLEXIDOME Panoramic 5100i (CPP14 Family) FLEXIDOME Outdoor 5100i (CPP14 Family)

Model: CPP6, CPP7, CPP7.3 and CPP14 Product Families

Software Version: 7.87.0029 (29500787) - (CPP6, CPP7, CPP7.3 Family)

9.00.0210 (10020900) - (CPPS 14 Family)

Standard: UL 2900-2-3; First Edition January 31, 2020

Security Level: Level 2

NIST Vulnerability Database Date: 2023-12-05 (For software version 7.87.0029)

2023-12-04 (For software version 9.00.0210)

Test Report Number: 4790989919-002

This is to certify that representative sample(s) of the Product described herein have been investigated and as of the date of testing, found in compliance with the Standard(s) indicated on this Certificate. UL Solutions does not provide any representation or guarantee that all security vulnerabilities or weaknesses will be found or that the product will not be vulnerable, susceptible to exploitation, or eventually breached. The designated Certificate Holder is entitled to market the Product in accordance with the Global Services Agreement and Cybersecurity Assurance Program Service Terms. This Certificate shall remain valid until the indicated Expiration Date unless terminated earlier in accordance with the Service Agreement or if the referenced Standard is amended or withdrawn. This Certificate in and of itself does not authorize the Certificate Holder to use any UL Solutions trademarks on the Certified Product. UL Solutions trademarks may only be used if the Certified Product is also covered under the applicable UL Solutions mark program(s).

Dean Zwarts

Senior Business Manager

Dean Zwarts

UL Solutions

UL LLC 333 Pfingsten Road Northbrook, IL, 60062, USA www.ul.com



Conditions of Certificate

The following conditions must be met for the product to continue to be in compliance with this certificate:

- 1. This certificate covers the following firmware version
 - a. Version 7.87.0029 for CPP6, CPP7 and CPP7.3 product families.
 - b. Version 9.00.0210 for CPP14 product family.
- 2. This certificate covers the following product families

CPP6	CPP7.3	CPP14
DINION IP starlight 8000 12MP	AUTODOME IP 4000i	DINION 3100i IR
DINION IP ultra 8000 12MP	AUTODOME IP 5000i	DINION 5100i IR
DINION IP ultra 8000 12MP	AUTODOME IP starlight 5000i	DINION 7100i IR
with C/CS mount telephoto	(IR)	
lens		
FLEXIDOME IP panoramic 7000	AUTODOME IP starlight 5100i	FLEXIDOME micro 3100i
12MP 180	(IR)	
FLEXIDOME IP panoramic 7000	AUTODOME IP starlight 7000i	FLEXIDOME mini 3100i
12MP 360		
FLEXIDOME IP panoramic 7000	DINION IP 3000i	FLEXIDOME indoor 5100i
12MP 180 IVA		
FLEXIDOME IP panoramic 7000	DINION IP bullet 4000i	FLEXIDOME indoor 5100i IR
12MP 360 IVA		
FLEXIDOME IP panoramic 6000	DINION IP bullet 5000	FLEXIDOME outdoor 5100i
12MP 180		
FLEXIDOME IP panoramic 6000	DINION IP bullet 5000i	FLEXIDOME outdoor 5100i IR
12MP 360		
FLEXIDOME IP panoramic 6000	DINION IP bullet 6000i	FLEXIDOME panoramic 5100i
12MP 180 IVA		
FLEXIDOME IP panoramic 6000	FLEXIDOME IP 3000i	FLEXIDOME panoramic 5100i
12MP 360 IVA		IR
СРР7	FLEXIDOME IP 4000i	FLEXIDOME corner 7100i IR
DINION IP starlight 6000	FLEXIDOME IP 5000i	FLEXIDOME multi 7000i
DINION IP starlight 7000	FLEXIDOME IP indoor 8000i (– X	FLEXIDOME multi 7000i IR
	series)	
FLEXIDOME IP starlight 6000	FLEXIDOME IP starlight 5000i (IR)	
FLEXIDOME IP starlight 7000	FLEXIDOME IP starlight 8000i	

UL LLC 333 Pfingsten Road Northbrook, IL, 60062, USA www.ul.com



DINION IP thermal 8000	FLEXIDOME IP starlight 8000i (–	
	X series)	
DINION IP thermal 9000 RM	MIC IP starlight 7000i	
	MIC IP starlight 7100i	
	MIC IP ultra 7100i	
	MIC IP fusion 9000i	

- 3. The IP cameras must be configured to the guidelines and specifications of the following documents:
 - a. NBN_8000_Operation_Manual_enUS_16257765131.pdf
 - b. NxN 6300 7300 Operation Manual enUS 23634193547.pdf
 - c. bosch-flexidome-ip-outdoor-4000i-hd_user-manual.pdf
 - d. FLEXIDOME_panoramic__Operation_Manual_enUS_88518315915.pdf
 - e. User_manual___FLEXID_Operation_Manual_enUS_96531169419.pdf
 - f. Camera_browser_inter_Operation_Manual_enUS_33210104203.pdf
 - g. IP_video_products_Cybersecurity_guidebook_enUS_99078607755.pdf
- 4. The following list contains protocols and/or services that have been assessed for this evaluation:
 - a. HTTPS
 - b. RTSP/RTSPS
 - c. SNMPv3
 - d. ONVIF
- 5. The static source code analysis was conducted on the following software revisions:
 - a. Version 7.87.0029 for product families CPP6, CPP7, and CPP7.3
 - b. Version 9.00.0210 for product families CPP14
- 6. All implementations of the protocols and/or services which are out-of-scope will have to be evaluated by the end product owner.

